## **SERIES**

- (1) Prove that if a series  $\sum_{n=1}^{\infty} a_n$  converges, then the sum is unique.
- (2) Show that  $\sum_{n=1}^{\infty} a_n$  converges if and if  $\sum_{n=k}^{\infty} a_n$  converges for any  $k \in \mathbb{N}$ .
- (3) Let  $(a_n)$  be any sequence of real numbers. Show that this sequence converges to a number S if and only if the series

$$a_1 + \sum_{n=2}^{\infty} (a_n - a_{n-1})$$

converges and has sum S. Verify the convergence/divergence of the following series:

- (a)  $\sum_{n=1}^{\infty} \frac{4}{(4n-3)(4n+1)}$ . (b)  $\sum_{n=1}^{\infty} \frac{2n+1}{n^2(n+1)^2}$ .
- (4) Let  $\sum_{n=1}^{\infty} a_n$  converges and  $a_n > 0$  for all n. If  $(a_{n_k})$  is a subsequence of  $(a_n)$ , show that  $\sum_{k=1}^{\infty} a_{n_k}$  also converges.
- (5) Let  $\sum_{n=1}^{\infty} a_n$  be a convergent series. Show that for every  $\epsilon > 0$ , there exists  $N \in \mathbb{N}$  such that  $\sum_{n=N+1}^{\infty} a_n < \epsilon$ . The series  $\sum_{n=N+1}^{\infty} a_n$  is called a tail of the series  $\sum_{n=1}^{\infty} a_n$ .
- (6) Express the infinite repeating decimal

## $0.123451234512345123451234512345\dots$

as the sum of a convergent geometric series and compute its sum.

(7) Show that

$$\frac{1}{r-1} = \frac{1}{r+1} + \frac{2}{r^2+1} + \frac{4}{r^4+1} + \frac{8}{r^8+1} + \cdots$$

for all r > 1.

(8) Obtain a formula for the following sums

(a) 
$$2 + \frac{2}{\sqrt{2}} + 1 + \frac{1}{\sqrt{2}} + \frac{1}{2} + \frac{1}{2\sqrt{2}} + \cdots$$

(b) 
$$\sum_{k=1}^{\infty} \frac{1}{k(k+2)(k+4)}$$

(c) 
$$\sum_{k=1}^{\infty} \frac{\alpha r + \beta}{k(k+1)(k+2)}.$$

(b)  $\sum_{k=1}^{\infty} \frac{1}{k(k+2)(k+4)}.$ (c)  $\sum_{k=1}^{\infty} \frac{\alpha r + \beta}{k(k+1)(k+2)}.$ (9) Let  $\sum_{n=1}^{\infty} a_n \text{ be a convergent series and } \sum_{n=1}^{\infty} b_n \text{ is obtained by grouping finite number}$ of terms of  $\sum_{n=1}^{\infty} a_n$  such as  $(a_1 + a_2 + \dots + a_{m_1}) + (a_{m_1+1} + a_{m_1+2} + \dots + a_{m_2}) + \dots$  for some  $m_1, m_2, \dots$  (Here  $b_1 = a_1 + a_2 + \dots + a_{m_1}, b_2 = a_{m_1+1} + a_{m_1+2} + \dots + a_{m_2}$  and so on). Show that  $\sum_{n=1}^{\infty} b_n$  converges and has the same limit as  $\sum_{n=1}^{\infty} a_n$ . What happens if  $\sum_{n=1}^{\infty} a_n$  diverges?

1

2 SERIES

- (10) Let  $a_n \geq 0$  for all n such that  $\sum_{n=1}^{\infty} a_n$  converges. Suppose  $\sum_{n=1}^{\infty} b_n$  is obtained by rearranging the terms of  $\sum_{n=1}^{\infty} a_n$  (i.e., the terms of  $\sum_{n=1}^{\infty} b_n$  are same as those of  $\sum_{n=1}^{\infty} a_n$  but they occur in different order). Show that  $\sum_{n=1}^{\infty} b_n$  converges and has the same limit as  $\sum_{n=1}^{\infty} a_n$ .
- (11) Consider the series  $\sum_{n=1}^{\infty} a_n$  where  $a_n = \frac{(-1)^{n+1}}{n}$ . Show that the series

$$(1-\frac{1}{2})-\frac{1}{4}+(\frac{1}{3}-\frac{1}{6})-\frac{1}{8}+(\frac{1}{5}-\frac{1}{10})-\frac{1}{12}+\cdots$$

which is obtained from  $\sum_{n=1}^{\infty} a_n$  by rearranging and grouping, is  $\frac{1}{2} \sum_{n=1}^{\infty} a_n$ .