

Lecture 5- CPU Scheduling

Instructor : Bibhas Ghoshal (bibhas.ghoshal@iiita.ac.in)

Autumn Semester, 2015



Lecture Outline

- CPU Scheduling Basics
- CPU Scheduler and Dispatcher
- Scheduling Criteria
- First Come First Serve (FCFS) Scheduling
- First Shortest Job First (SJF) Scheduling

References and Illustrations have been used from:

- lecture slides of the book - Operating System Concepts by Silberschatz, Galvin and Gagne, 2005
- Modern Operating System by Andrew S. Tanenbaum
- lecture slides of CSE 30341: Operating Systems (Instructor : Surendar Chandra),




CPU Scheduling: Basic Concepts


- Maximum CPU utilization obtained with multiprogramming - several processes are kept in memory, while one is waiting for I/O, the OS gives the CPU to another process
- CPU scheduling depends on the observation that processes cycle between CPU execution and I/O wait.



Alternating Sequence of CPU And I/O Bursts



Histogram of CPU Burst Times



CPU Scheduler

- Selects from among the processes in memory that are ready to execute, and allocates the CPU to one of them
- CPU scheduling decisions may take place when a process:
 - 1 Switches from running to waiting state (e.g. I/O request)
 - 2 Switches from running to ready state (e.g. Interrupt)
 - 3 Switches from waiting to ready (e.g. I/O completion)
 - 4 Terminates
- Scheduling under 1 and 4 is *non-preemptive* (cooperative)
- All other scheduling is *preemptive* - have to deal with possibility that operations (system calls) may be incomplete



Dispatcher

- Dispatcher module gives control of the CPU to the process selected by the short-term scheduler; this involves:
 - 1 switching context
 - 2 switching to user mode
 - 3 jumping to the proper location in the user program to restart that program
- Dispatch latency – time it takes for the dispatcher to stop one process and start another running
 - Should be as low as possible



Scheduling Criteria

- CPU utilization (max) – keep the CPU as busy as possible
- Throughput (max) – # of processes that complete their execution per time unit
- Turnaround time (min) – amount of time to execute a particular process
- Waiting time (min) – amount of time a process has been waiting in the ready queue
- Response time (min) – amount of time it takes from when a request was submitted until the first response is produced, not output (for time-sharing environment)
- In typical OS, we optimize each to various degrees depending on what we are optimizing the OS



Optimization Criteria

- Max CPU utilization
- Max throughput
- Min turnaround time
- Min waiting time
- Min response time
- Analysis using Gantt chart (illustrates when processes complete)



First Come First Serve (FCFS) Scheduling

<u>Process</u>	<u>Burst Time</u>
P_1	24
P_2	3
P_3	3

Suppose that the processes arrive in the order: P_1, P_2, P_3

The Gantt Chart for the schedule is:



Waiting time for $P_1 = 0$; $P_2 = 24$; $P_3 = 27$

Average waiting time: $(0 + 24 + 27)/3 = 17$



First Come First Serve Scheduling

Suppose that the processes arrive in the order

$$P_2, P_3, P_1$$

The Gantt chart for the schedule is:



Waiting time for $P_1 = 6$; $P_2 = 0$; $P_3 = 3$

Average waiting time: $(6 + 0 + 3)/3 = 3$

Much better than previous case

Convoy effect short process behind long process



Shortest Job First (SJF)


- Associate with each process the length of its next CPU burst. Use these lengths to schedule the process with the shortest times
- Two schemes:
 - *nonpreemptive* – once CPU given to the process, it cannot be preempted until completes its CPU burst
 - *preemptive* – if a new process arrives with CPU burst length less than remaining time of current executing process, preempt. This scheme is know as the **Shortest-Remaining-Time-First (SRTF)**
- SJF is optimal – gives minimum average waiting time for a given set of processes



Non-preemptive SJF

<u>Process</u>	<u>Arrival Time</u>	<u>Burst Time</u>
P_1	0.0	7
P_2	2.0	4
P_3	4.0	1
P_4	5.0	4

SJF (non-preemptive)




$$\text{Average waiting time} = (0 + 6 + 3 + 7)/4 = 4$$



Preemptive SJF

<u>Process</u>	<u>Arrival Time</u>	<u>Burst Time</u>
P_1	0.0	7
P_2	2.0	4
P_3	4.0	1
P_4	5.0	4

SJF (preemptive)



$$\text{Average waiting time} = (9 + 1 + 0 + 2)/4 = 3$$




Determining Length of Next CPU Burst

- Can only estimate the length
- Can be done by using the length of previous CPU bursts, using exponential averaging
 - 1 t_n = actual length of n^{th} CPU burst
 - 2 τ_{n+1} = predicted value of next CPU burst
 - 3 $\alpha = 0 \leq \alpha \leq 1$
 - 4 $\tau_{n+1} = \alpha\tau_n + (1 - \alpha)t_n$



Prediction of the Length of the Next CPU Burst



Examples of Exponential Averaging

- if $\alpha = 0 \implies \tau_{n+1} = \tau_n$: Recent history does not count
- if $\alpha = 1 \implies \tau_{n+1} = \alpha \times t_n$: Only the actual last CPU burst counts

