
Cloud Computing for IoT


Bibhas Ghoshal IIIT Allahabad

Traditional Computing

Traditional Computing Components:



All components sit on the same computer



Distributed System : A collection of independent computers that appears to its users as a single coherent system

Ex : Internet, computing cluster, LAN, Data centre, web Distributed Application :

One single system or one of several subsystems

Collection of processors – parallel processing (increased performance, reliability and fault tolerance)

Partitioned or replicated data

Why Distribution?

Sharing of information and services

Increase in reliability, fault tolerance and improved performance

Goals and Challenges for Distributed Systems

Goals :

Making Resources Available

Distribution Transparency

Openness

Scalability

Security


System Design requirements

Challenges :

Naming and Access control, Security, Performance, Mutual exclusion of users, replication and migration, failure modes, concurrency, heterogeneity


Client Server Architectures in Distributed Systems

Multitiered Architectures




Alternative client-server organizations (a)–(e). Clients: thin \rightarrow fat


Cluster Computing : Homogeneous computing nodes (connected loosely or tightly) working together



Grid Computing : Heterogeneous computing nodes distributed over a wide area to perform very large tasks



Utility Computing : Packaged resources available for computing and storage



Utility Computing

Cloud Computing : Model for enabling convenient, ondemand network access to shared pool of configurable computing resources. Ex: network infrastructures, servers, storage, application etc.

Step from utility computing

High level generalization of computing and storage model


It can be rapidly allocated and released with low management effort

Some essential characteristics, service models and deployment models

	Cloud computing	 Infrastructure-as-a Service Platform-as-a-Service Software-as-a-Service
	Utility computing	 Metered bandwidth Self-service provisioning Rapid scalability
	Grid computing	 Distributed processing Commodotized hardware Massively parallel processing
	Centralized Computing	 Mainframe computers "Dumb" terminals Time-sharing


Adapted from a graphic by Kent Langley


Virtualization




11

Virtualization in Cloud






Cloud Computing Framework



Cloud Computing : Characteristics

- Improved agility in resource provisioning
- **Ubiquitous independent of device and location**
- Multi tenancy sharing of resources and costs accross a large pool of users
- **Dynamic load balancing**
- Highly reliable and scalable
- Low cost and low maintenance
- Improve security and access control


Cloud Computing : Service Models



15

Software-as-a Service (SaaS)


- Facility to execute service provider's application at users end
- Services can be accessed via different types of client devices such as web browser or app
- End users do not have control of cloud platform
- Example : Google Apps



Platform-as-a-Service(PaaS)


- Facilitates consumer created or acquired applications onto cloud infrastructure
- Support for deployment of such applications
- Users do not control cloud infrastructure
- Users can control deployed apps using given configuration
- Ex : Google App Engine , Windows Azure

Architecture of Platform as a Service (PaaS)




Infrastructure-as-a Service(laas)

- Access of computing resources such as Operating System, Storage and Network
- Users cab deploy and execute any software
- In some cases, users can control selected network components
- Ex : Amazon EC2, GoGrid




IaaS

Cloud Computing Services



Cloud Computing : Deployment Models



Cloud Computing for IoT


Cloud is an IoT enabler :

Huge amount of IoT Data needs storage, retrieval and management (sustained services)

Fast Analytics for Prediction and Critical Decision making

Benefits of Cloud in IoT :

Scalability; Data Mobility; Time to Market; Security; Cost effectiveness






Dr. Bibhas Ghoshal, IIIT Allahabad Recent Trends in SIoT (RTSIoT - 2021)


24/02/2021

IoT Cloud Architecture



IoT Management

- IoT-A Project [1] : physical entities represented as virtual entities access point to the real world by IoT apps through well defined and standardized interfaces
- European FP7 iCore project [2] : virtual object as alter ego of real world object, dynamically created and destroyed. VOs interact giving them some Cognitive capabilities



[1] www.iot-a.eu

[2] Giaffreda : iCore: A Cognitive Management Framework for the Internet of Things, In: Galis A., Gavras A. (eds) The Future Internet. FIA 2013. Lecture Notes in Computer Science, vol 7858.

Cloud Based IoT Platforms - Characteristics

- Objects use HTTP protocol to send and receive data; allows interoperability among platforms
- Objects do no directly communicate with each other. An intermediate server is used
- Every object has a data point associated with it on the server side to keep track of the data sent
- The methods POST and GET are are used to send and request data
- Tag is assigned to every data point
- Data point discovery is performed through tags through an internal search engine
- System identifies every object with its API key

RESTful Architecture:

Lightweight, scalable and then fits perfectly with the principles and the current protocols of the Internet.

Resources as representation of the objects, that are uniquely identified through Uniform Resource Identifiers (URIs).

Object information can be obtained, deleted or posted through the HTTP protocol using a given method (GET, DELETE, POST, PUT).

The payload of the message can be incapsulated in a negotiated format such as XML or JSON.

IoT Platform Implementation - 1

Cosm (formerly Pachube) [6] : platform to store and redistribute real-time data, freely usable, which manages millions of devices per day. Following the nuclear accidents in Japan in 2011, Cosm was used by volunteers to interlink Geiger counters across the country to monitor the fallout.

Xively (formerly Cosm) [7] : commercial IoT platform to transmit, store and access to data generated by objects. It exploits PaaS partially (data stored in provider DB only). Now owned by Google.



[3] http://www.cosm.com[7] http://www.xively.com

IoT Platform Implementation - 2

Nimbits [8] :

- open source web application built on Google App engine
- Provides email alert, math calculations
- Storing and processing data
- User can define data points and use them to share several kinds of data
- Integrated with Twitter, Facebook
- Allows to manage data points, share sensor diagrams

[8] http://nimbits.com


IoT Platform Implementation - 3

MATLAB ThinkSpeak

ThingSpeak[™] is an IoT analytics service that allows you to aggregate, visualize, and analyze live data streams in the cloud. ThingSpeak provides instant visualizations of data posted by your devices to ThingSpeak. With the ability to execute MATLAB[®] code in ThingSpeak, you can perform online analysis and process data as it comes in. ThingSpeak is often used for prototyping and proof-of-concept IoT systems that require analytics.

You can send data from any internet-connected device directly to ThingSpeak using a Rest API or MQTT. In addition, cloud-to-cloud integrations with The Things Network, Senet, the Libelium Meshlium gateway, and Particle.io enable sensor data to reach ThingSpeak over LoRaWAN[®] and 4G/3G cellular connections.

With ThingSpeak, you can store and analyze data in the cloud without configuring web servers, and you can create sophisticated event-based email alerts that trigger based on data coming in from your connected devices.



https://in.mathworks.com/products/thingspeak.html